



**GLC Industrial**  
Made to Perform™



# GLC CalPro® 1012

## Product Availability

50# Bags  
Totes

## Ingredients

Calcium Carbonate

**CaCO<sub>3</sub>**

## Median Particle Size

Twelve Micron Product

### TYPICAL CHARACTERISTICS

#### Oil Absorption

ASTM D281: 18.5 g/100 g

#### Moisture (max)

0.2%

#### Brightness

Hunter Y 72

#### Weight % Passing

325 Mesh Screen 98.7

#### Bulk Density (approx.) lbs/cu.ft.

Compact: 78 lbs/cu.ft.


Loose: 54 lbs/cu.ft.

GLC CalPro® 1012 is a twelve micron product that consistently provides the chemistry and physical characteristics you need and can rely on. It is sourced in the U.S. and produced in an ISO 9001:2015 certified facility.

### TYPICAL CHEMICAL ANALYSIS

Chemical Compound	% of sample
Calcium Carbonate — CaCO <sub>3</sub>	95
Magnesium Carbonate — MgCO <sub>3</sub>	2.65
Aluminum Oxide — Al <sub>2</sub> O <sub>3</sub>	0.20
Iron Oxide — Fe <sub>2</sub> O <sub>3</sub>	0.11
Silicon Dioxide — SiO <sub>2</sub>	<1.0

### TYPICAL PARTICLE SIZE DISTRIBUTION



intertek